

to this House that a planned programme will be prepared for the restoration of tanks and that within a prescribed period all the restorable tanks will be restored.

ಶ್ರೀ ಬಿ. ಎ. ಪುಟ್ಟಣ್ಣ.—(ಡಿ)ಗೆ ಉತ್ತರವಾಗಿ:

“The intention is to take over in the course of a period of years the maintenance of all excepting a few small works which will continue to vest in the ryots or other appropriate agencies.”

ಎಂದು ಹೇಳಿದೆ. ರೆವೆನ್ಯೂ ಇಲಾಖೆಯ ಮ್ಯಾನೇಜ್ ಮೆಂಟ್‌ನಲ್ಲಿರುವ ಪ್ರತಿಯೊಂದು ಕೆರೆ ಪಾತುವಾರು ಪರಾಜುಮಾಡುವುದರಿಂದ ರೈತರು ಕೆಲಸಮಾಡದೆ ಬಿಟ್ಟು ಎಂಬುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಪೂರ್ವದಲ್ಲಿ ಹರಾಜುಮಾಡುತ್ತಿರಲಿಲ್ಲ. ಆ ಕಾಲದಲ್ಲಿ ರೈತರು ಕೆಲಸ ಮಾಡುತ್ತಿಲ್ಲ. ಅದುದರಿಂದ ಆ ಕಾರಣದಿಂದ ಕೆಲಸ ನಿಂತಿದೆಯೆಂದು ಹೇಳುವುದು ಸರಿಯಲ್ಲ.

### Supply of Electricity for I. P. Sets in Kokkarne in Udipi Taluk.

\*Q.—69. Sri V. SRINIVASA SHETTY (Coondapoor).—

Will the Government be pleased to state.—

(a) when sanction was accorded for the supply of Electricity for I. P. sets in Kokkarne in Udipi Taluk, South Kanara, and the estimated cost thereon;

(b) the progress achieved so far and the amount spent till now;

(c) when do they propose to complete the scheme?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Sanction was accorded by the State Electricity Board on 23rd July 1959 to the estimate for Rs. 2,45,800 for power supply to I. P. sets to Kokkarne (Pejamangur) and to the following other villages:—

Honehalli,  
Nadur,  
Nilavar,  
Kadur and  
Kudi in Udipi Taluk.

(b) Work has not yet been started as the required number of applicants have not yet installed pumpsets and submitted completion reports through a licensed Electric Contractor.

(c) Does not arise in view of reply to (b).

Sri V. SRINIVASA SHETTY.—What is the total number of applications from these villages and how many I. P. sets have been installed by the applicants?

†Sri H. M. CHANNABASAPPA.—I cannot say about the number of I. P. sets installed but the information with me is that 70 per cent of the people have not installed their I. P. sets and given the completion certificate to the Department to enable it to take action.

### Relief to the Victims of Fire Accident in Chamarajanagar Taluk.

\*Q.—95. Sri U. M. MADAPPA (Chamarajanagar).—

Will the Government be pleased to state.—

(a) the amount distributed to victims of fire accident at Venkatayyana Chatra in Chamarajanagar Taluk, out of Rs. 2,000 sanctioned by Government;

(b) the value of materials supplied to them out of said Rs. 2,000;

(c) if not, the action taken by Government?

A.—Sri KADIDAL MANJAPPA (Minister for Revenue).—

(a) Rs. 375. The allotment of Rs. 2,000 was for the entire Division.

(b) Mafi passes for building materials of the value of Rs. 1,425 are reported to be under issue.

(c) Does not arise.

Sri U. M. MADAPPA.—Have the building materials been issued by this time?

Sri KADIDAL MANJAPPA.—I hope so.

Sri B. L. NRAYANASWAMY.—When did this accident take place?

Sri KADIDAL MANJAPPA.—On 12-8-1959.

Sri B. L. NRAYANASWAMY.—May I know the number of families affected by this accident?